Marking & Labelling

	Page		Page
Brady Labelling Systemsc	3006	Marker Pens	3014
Brother Labelling Systems	3004	Pre Printed/Write-On Labels	3009
Dymo Labelling Systems	3001	Tyco Labelling Systems	3008
Label Tags	3013		

Dymo Labelling Systems

LabelManager 210D Label Printer

- Utilises 3 Tape widths (**D1** tape) - **6, 9 & 12mm**
- Easy navigation from start to print
- Prints 1 or 2 lines per label (on 9 mm)
- Quick access buttons to symbols and diacriticals (e.g. é, à, ç,...)
- Auto power-off to extend battery life or adapter as an accessory
- 6 font sizes, 7 styles, 8 different boxes to customize your label
- Stores up to 9 labels and offers the possibility to insert saved text

505109

Mftrs. List No.	Region	Keyboard Layout	Order Code	Price Each 1+
S0784430	Southern Europe, Netherlands, Turkey	QWERTY	**156-3767**	
S0784440	United Kingdom	QWERTY	**156-3768**	
S0815540	Scandinavia	QWERTY	**156-3769**	
S0784460	France/Belgium	AZERTY	**156-3771**	

LabelManager 220P Label Printer

- Utilises 3 Tape widths (**D1** tape) - **6, 9 & 12mm**
- Easy navigation from start to print
- Prints 1 or 2 lines per label (on 9 mm)
- Easy text entry by using your thumbs
- Quick access buttons to symbols and diacriticals (e.g. é, à, ç,...)
- Auto power-off to extend battery life or adapter as an accessory
- 6 font sizes, 7 styles, 8 different boxes to customize your label
- Stores up to 9 labels and offers the possibility to insert saved text

505113

Mftrs. List No.	Region	Keyboard Layout	Order Code	Price Each 1+
S0784520	United Kingdom	QWERTY	**156-3773**	
S0815550	Scandinavia	QWERTY	**156-3775**	

LabelManager™ 420P

High-Performance Portable Label Maker with PC or Mac® Connection

NEW

Connect the LabelManager™ 420P to your PC or Mac® and use DYMO Label™ Software to design labels on your computer screen, with barcodes, logos or graphics - or to print batches of labels from text in spreadsheet or database files! When disconnected from your computer, the LabelManager™ 420P label maker is a portable labelling powerhouse with an easy to use interface, quick access keys and plenty of fonts and text effects. Plus it runs on a rechargeable lithium-ion battery, so you're always ready to label.

- Large 4-line backlit display - shows text effects on screen before you print
- 8 fonts, 7 font sizes, 10 text styles, 8 boxes plus underline
- Quick access keys for entering diacriticals, currency and other symbols
- Powered by a rechargeable lithium-ion battery - no more disposable AA battery expense and inconvenience

635957

	Mftrs. List No.	Order Code	Price Each 1+
Label Printer, LM420P, UK	S0915490	**190-3566**	
Label Printer, LM420P, WE	S0915440	**205-8474**	
Label Printer, LM420P, NE	S0915450	**205-8475**	
Label Printer, LM420P, SE + TK	S0915460	**205-8476**	
Label Printer, LM420P, CZ + HU + PL	S0915470	**205-8477**	

LabelWriter™ 450

Professional label printer for PC and Mac®

NEW

- Take the hassle out of label printing with the DYMO LabelWriter™ 450
- Prints up to 51 labels per minute (4-line address label)
- Includes proprietary DYMO Label™ v.8 software
- Uses thermal printing technology - no expensive ink or toner needed - ever!
- Print crystal-clear text, graphics and barcodes with improved resolution graphics mode
- Sleep mode to conserve energy

635955

	Mftrs. List No.	Order Code	Price Each 1+
Label Printer, LW450, UK	S0838810	**190-3565**	
Label Printer, LW450, FR + NL + BE + DE	S0838770	**205-8470**	
Label Printer, LW450, HU + CZ + PL	S0838780	**205-8471**	
Label Printer, LW450, IT + SP + TK	S0838790	**205-8472**	
Label Printer, LW450, SCAND	S0838800	**205-8473**	

LabelManager™ 450D

Stand alone or from PC or Mac®

NEW

The LabelManager™ 450D uses whisper-quiet thermal transfer print technology with a wide range of state-of-the-art features, including automatic cutting, spacious semigraphical display and memory to help create labels faster and easier.

- PC / Mac® connected via USB with a simple interface offering a full set of on-screen editing options and importing of logos, graphics and typefaces
- Full label customization with 7 fonts, 5 heights, 13 styles, 6 boxes, several background patterns and 6 types of barcodes
- Special "format break" function makes it simple to combine different labeling features on a single label for a unique look

635958

	Mftrs. List No.	Order Code	Price Each 1+
LM450D Label Printer, UK	S0718880	**190-3567**	

Rhino 5200

Industrial Labelling Tool

NEW

- DYMO exclusive "hot keys" automatically size, space and format labels for wires and cables, terminal blocks, electrical and patch panels, 110-blocks, vertical and fixed-length applications
- Pre-programmed symbol library puts industry symbols, punctuation, currency and fractions at your fingertips
- Save more than 100 customized labels for on-demand printing at the job site
- Large two-line display - backlit for poorly-lit jobsites
- Smart on-screen alerts help prevent mistakes and wasted labels
- Automatic shut-off maximizes battery life
- Prints Code 39 and Code 128 bar codes on 19mm labels
- Slip-resistant, built-in rubber bumper protects printer against damage from accidental falls and rough conditions

Languages supported:

WE: English / French / Germany / Dutch
NE: Swedish / Finnish / Danish / Norwegian
SE: Italian / Spanish / Portuguese / Turkish
EE: Polish / Czech / Slovakian / Hungarian

635959

	Mftrs. List No.	Order Code	Price Each 1+
Rhino 5200 Label Printer, WE	S0841460	**190-3568**	
Rhino 5200 Label Printer, SE	S0841470	**205-8462**	
Rhino 5200 Label Printer, NE	S0841480	**205-8463**	
Rhino 5200 Label Printer, EE	S0841490	**205-8464**	
Rhino 5200 Case	S0902390	**190-3570**	
Rhino 5200 LI-ION Battery	S0895840	**190-3571**	

Dymo Labelling Systems - continued

Rhino 5200 Kit

Industrial Labelling Tool

Designed for the professional installer who work in real-world job-site applications.
Applications include datacom, electrical, facility maintenance, professional AV and security.
Languages supported:
WE: English / French / Germany / Dutch
SE: Italian / Spanish / Portuguese / Turkish
NE: Swedish / Finnish / Danish / Norwegian
EE: Polish / Czech / Slovakian / Hungarian

NEW

Hard case kit includes:
- Rhino5200 printer
- User manual on CD-rom
- Quick reference guide
- 19mm white flexible nylon tape
- 12mm white vinyl tape
- Rechargeable lithium-ion battery pack
- AC adapter

635960

	Mftrs. List No.	Order Code	Price Each 1+
Rhino 5200 Label Printer Kit, UK	S0841390	**190-3569**	
Rhino 5200 Label Printer Kit, WE	S0841400	**205-8465**	
Rhino 5200 Label Printer Kit, NE	S0841420	**205-8466**	
Rhino 5200 Label Printer Kit, SE	S0841410	**205-8468**	
Rhino 5200 Label Printer Kit, EE	S0841430	**205-8469**	

LabelWriter® Accessories

- Dymo LabelWriter® Printers are the fast and easy way to print labels in seconds from your PC
- Ideal for addressing envelopes and packages, shipping label, diskettes, name badges, files and much more
- A wide variety of available labels to match most labelling needs

Note: Please check that the model of LabelWriter you require labels for is able to print the particular size of label. Not all the models in the range are able to print all the different label sizes.

Code	Description	Colour	Type	No. Labels	Rolls/Box	
11352	Return Address International 54mm x 25mm	White	Paper	500	1	500
11353	Multipurpose Labels (2 Up) 25mm x 13mm	White	Paper	1000	1	1000
11354	Multipurpose Labels 32mm x 57mm	White	Paper	1000	1	1000
11355	Multipurpose Labels 51mm x 19mm	White	Paper	500	1	500
11356	Name Badge 89mm x 41mm	White	Paper	300	1	300
14681	CD Label 57mm Diameter	White	Paper	160	1	160
14682	CD Label Applicator					
99010	Standard Address Labels 28mm x 89mm	White	Paper	260	2	130
99011	Assorted Colour Labels 28mm x 89mm	Yellow / Pink / Blue / Green	Paper	520	4	130
99012	Large Address Labels 36mm x 89mm	White	Paper	520	2	260
99013	Large Address Labels 36mm x 89mm	Clear	Plastic	260	1	260
99014	Shipping Labels 54mm x 101mm	White	Paper	220	1	220
99015	Disk/Name Badge Labels 54mm x 70mm	White	Paper	320	1	320
99016	Video Top/Spine labels 46mm x 78mm	White	Paper	300	2	150
99017	Suspension File Labels 50mm x 12mm	White	Paper	220	1	220
99018	LAF Labels 190mm x 38mm	White	Paper	110	1	110
99019	LAF Labels 59mm x 190mm	White	Paper	110	1	110

206837

Mftrs. List No.	Order Code	Price Each 1+	5+	10+
11352	**783-6724**			
11353	**783-6732**			
11354	**783-6740**			
11355	**783-6759**			
11356	**783-6767**			
14681	**783-6708**			
99010	**154-702**			
99011	**154-714**			
99012	**154-726**			
99013	**154-738**			
99014	**154-740**			
99015	**154-751**			
99017	**154-775**			
99018	**154-787**			
99019	**154-799**			

D1 Labeling Tapes

- Tape Length: 7m

Character Colour	Backing Colour	Mftrs. List No.	Order Code
6mm Tapes			
Black	Clear	43610	**666-968**
Black	White	43613	**666-970**
Black	Yellow	43618	**666-981**
9mm Tapes			
Black	Clear	40910	**666-993**
Black	White	40913	**667-006**
Blue	White	40914	**667-018**
Red	White	40915	**667-020**
Black	Blue	40916	**667-031**
Black	Red	40917	**667-043**
Black	Yellow	40918	**667-055**
Black	Green	40919	**667-067**
12mm Tapes			
Black	Clear	45010	**216-197**
Blue	Clear	45011	**216-203**
Red	Clear	45012	**216-215**
Black	White	45013	**216-227**
Blue	White	45014	**216-239**
Red	White	45015	**216-240**
Black	Blue	45016	**216-252**
Black	Red	45017	**216-264**
Black	Yellow	45018	**216-276**
Black	Green	45019	**216-288**
White	Clear	45020	**729-644**
White	Black	45021	**729-656**
19mm Tapes			
Black	Clear	45800	**729-530**
Black	White	45803	**729-565**
Blue	White	45804	**729-577**
Red	White	45805	**729-589**
Black	Blue	45806	**729-590**
Black	Red	45807	**729-607**
Black	Yellow	45808	**729-619**
White	Black	45811	**729-632**
24mm Tapes			
Black	Clear	53710	**434-1594**
Black	White	53713	**434-1600**
Black	Yellow	53718	**434-1612**

206727

Tape Width	Order Code	Price Each 1+	5+	10+	20+
6mm	**All Order Codes**				
9mm	**All Order Codes**				
12mm	**All Order Codes**				
19mm	**All Order Codes**				
24mm	**All Order Codes**				

D2 Labelling Tapes

Character Ribbon Cartridge

	19mm Mftrs. List No.	19mm Order Code	32mm Mftrs. List No.	32mm Order Code
Black	60601	**450-716**	63201	**957-630**

Background Colour Cassette Tape

	6mm Mftrs. List No.	6mm Order Code	12mm Mftrs. List No.	12mm Order Code	19mm Mftrs. List No.	19mm Order Code
Clear	—	—	—	—	61910	**450-868**
White	60611	**450-753**	61911	**450-870**	61911	**450-870**
Yellow	—	—	61214	**450-844**	61914	**450-900**

	24mm Mftrs. List No.	24mm Order Code	32mm Mftrs. List No.	32mm Order Code
White	69241	**957-677**	69321	**957-732**

206811

RoHS Compliant / Non-compliant

Size	Order Code	Price Each 1+	3+	6+	12+
Character Ribbon Cartridges					
19mm	**All Order Codes**				
32mm	**957-630**				
		1+	3+	6+	12+
Background Colour Cassette Tape					
6mm	**All Order Codes**				
12mm	**All Order Codes**				
19mm	**All Order Codes**				
24mm	**All Order Codes**				
32mm	**All Order Codes**				

LetraTag Paper Tape

- Economical
- Indoor use
- Tape width of 12mm
- Tape reel length is 4m

This 12mm non-glossy tape is easy to peel and cut, with quick-change cassettes for "on-the-fly" labelling. Think of LetraTAG paper tape as the economical solution for labelling almost anything, anywhere in your home.

517453

Colour	Order Code	Price Each 1+	5+	10+
Black on White	**162-5566**			

LetraTag Plastic Tape

- Durable
- Wipeable
- Indoor use
- Tape width of 12mm
- All tape reel lengths are 4m

517458

Colour	Order Code	Price Each 1+	5+	10+
Black on White	**162-5567**			
Black on Clear	**162-5568**			
Black on Yellow	**162-5569**			
Black on Red	**162-5570**			
Black on Green	**162-5571**			
Black on Blue	**162-5572**			

LetraTAG Metallic tape

- Decorative
- Long lasting
- Indoor use
- Tape width of 12mm
- Tape reel length is 4m

These 12mm glossy tapes are decorative and long-lasting. The perfect solution to label anything you want at home.

517470

Colour	Order Code	Price Each 1+	5+	10+
Black on Green	**162-5575**			
Black on Silver	**162-5576**			

ID1 Tapes

For ILP219 and RhinoPRO 5000 Industrial Label Printers

A range of permanent industrial labelling tapes. The material and ribbon is combined in one single cassette. A choice of materials makes them suitable for a wide variety of applications.

Clear Polyester Tape 1100CL
Offers a modern and esthetic way of applying labels to more expensive or fancy appliances. The clear labels with the sharp printed black characters which integrate into the structure and shape of the application. Any text is as if it was printed discretely onto the original surface. The adhesive properties of the polyester tapes are excellent: adherence is permanent. Suitable for indoor and outdoor use. The ink is scratch, solvent, oil and UV-resistant.
Applications:
- Outlets, patch panels and face plates

Permanent Polyester Tape M1120 - M1140
This material has been developed for withstanding the most demanding needs in an industrial environment. It combines a very strong adhesive, ideally suited for labelling rough surfaces where the adhesive needs to glide into the irregularities for optimal sticking with a ribbon carefully chosen for excellent printing results. UV, oil, scratch and chemical resistance. Perfect for surfaces requiring outstanding sticking and durability such as highly-textured and powder coated surfaces.
Applications:
- Patch panels, outlet and rack identification
- Maintenance, name and rating plates, product/tool and asset labelling

Flexible Nylon Tape M1300 - M1300YL
A combination of permanent adhesive and a superior flexible nylon material provides a solution for permanent and legible identification for curved and textured surfaces. The permanent solution for **marking cables.**
Applications:
- Cables and wires, components and installation material

Coloured Vinyl Tape M1500
Recognisable from a distance thanks to their strong and deep colours. Vinyl is thin and therefore very flexible. The adhesive properties of the vinyl tapes are excellent: adherence is permanent. Suitable for indoor and outdoor use. The ink is scratch, solvent, oil and UV-resistant.
Applications:
- Machines, equipment, safety and warning instructions
- Patch panels and outlet identification
- Buttons, switches and operator instructions
- Wires, cables, curved and textured surfaces

Heat Shrink Tube M1400
- Non-adhesive permanent polyolefin solution to identify and protect wires and cables at the same time
- Tubing meets MIL-DTL-23053/5 classes 1 & 3
- 3:1 shrink ratio, flame retardant
- Length 1.5m

Note: All the tapes have a font colour of **Black**

387124.344630

Tape Colour	Width	Mftrs. List No.	Order Code	Price Each 1+	10+	25+
Clear Polyester Tape 7m						
Clear	9mm	18508-R1	**735-7699**			
Permanent Polyester Tape 5.5m						
White	9mm	18766-R1	**472-5542**			
White	12mm	18764-R1	**472-5554**			
White	19mm	18765-R1	**472-5566**			
Metallised	9mm	18760-R1	**472-5578**			
Metallised	12mm	18761-R1	**472-5580**			
Metallised	19mm	18762-R1	**472-5591**			
Flexible Nylon Tape 3.5m						
White	12mm	18758-R1	**472-5505**			
White	19mm	18759-R1	**472-5517**			
Yellow	19mm	18757-R1	**472-5530**			
Coloured Vinyl Tape 5.5m						
Yellow	9mm	18431	**735-7540**			
Yellow	12mm	18432	**735-7559**			
Yellow	19mm	18433	**735-7567**			
Orange	12mm	18435	**735-7583**			
Red	12mm	18438	**735-7613**			
Red	19mm	18439	**735-7621**			
Green	19mm	18442	**735-7656**			
White	9mm	18443	**735-7664**			
White	12mm	18444	**735-7672**			
White	19mm	18445	**735-7680**			
Heat Shrink Tube 1.5m						
White	6mm	18051	**815-3175**			
White	9mm	18053	**815-3191**			
White	12mm	18055	**815-3213**			
White	19mm	18057	**815-3230**			
Yellow	6mm	18052	**815-3183**			
Yellow	9mm	18054	**815-3205**			
Yellow	12mm	18056	**815-3221**			
Yellow	19mm	18058	**815-3248**			

Dymo Labelling Systems - continued

Tapes for Letra Tag XM, XR and XQ50

338417.344662

Tapes for Letra Tag XM, XR and XQ50		Mftrs		Price Each	
Colour/Description	Material	List No.	Order Code	1+	3+
Pearl White	Plastic	91221	**304-3071**		
Metallic Silver	Metallic	91228	**304-3149**		
Pearl White	Paper	91220	**304-3060**		
Ultra Blue	Plastic	91225	**304-3113**		

Brother Labelling Systems

PT-90 Label Printer

- Portable and Lightweight Design
- QWERTY Keyboard
- Built in cutter enables accurate tape length
- Utilises 2 Tape widths (**M** tapes) 9 & 12mm
- 12 character x 1 Line LCD display screen
- Prints 1 to 2 lines of text
- Prints up to 203 dpi
- Prints up to 7.5mm per second
- 7 Frame Styles
- 8 Font Styles
- Requires 4 x AAA batteries (not supplied)
- Dimensions (WxDxH): 156x111x57mm
- Weight: 0.25kg

555661

Description	Order Code	Price Each 1+
Label Printer	**178-1128**	
9mm Tapes		
Black on White	**379-9580**	
12mm Tapes		
Black on White	**379-9645**	

PT-1090 Label Printer

3.5 - 12mm

- ABC Keyboard and numeric keypad
- 12 character, 1 line LCD screen
- Built-in tape cutter
- 15 print sizes
- 8 print styles
- 7 frame styles
- Helsinki font
- Print speed of 10mm/sec
- 180dpi print resolution
- Memory - 9 locations (max. 80 characters each)
- 387 characters
- Multiple copies (1-9)
- Label length setting: 30 - 300mm
- Utilises 4 Tape widths (**TZ** tape) - 3.5, 6, 9, 12mm

An easy-to-use, hand-held labelling machine for the office or home, that produces a wide variety of professional quality labels made to last.

555663

Mftrs. List No.	Order Code	Price Each 1+
PT-1090	**178-1129**	

PT-2430PC Label Printer

3.5 - 24mm

The PT-2430PC is a sleek and compact machine. It prints labels from 3.5mm to 24mm wide and features an automatic tape cutter. With the new plug and print feature this product requires no software installation. Just highlight your text on your PC and press print.

- Plug & Print feature
- PC connectable
- No software installation required
- 3.5mm, 6mm, 9mm, 12mm, 18mm & 24mm wide labels available
- Automatic tape cutter
- 180dpi print resolution
- Maximum print height 18mm
- 10mm per second print speed
- USB Interface
- Supports all True Type fonts installed in your computer
- 10 Border/Frame styles
- Copy printing up to 200
- Mirror printing

525823

Mftrs. List No.	Order Code	Price Each 1+
PT2430PC	**166-0915**	

PT-7100 Label Printer

Brother PT-7100VP prints durable labels on demand with 3.5, 6, 9 & 12mm tape widths. Over 35 common electrical and audio/visual related symbols are included, making this a perfect introductory label printer for any professional electrician. Designed with a protective rubber hand grip, it is supplied complete with a practical carry case with space for the AC adaptor and favourite TZ tape.

- Portable and Lightweight Design
- ABCD style keyboard
- Time & Date printing function
- 12 character 2 line LCD screen
- Up to 9mm print size
- 6 Frame & Fill Pattern styles
- 180dpi print resolution

3.5 - 12mm

- Helsinki font
- 316 characters
- Print speed of 10mm/sec
- Memory - 9 locations (max. 80 characters each)
- Multiple copies (1-9)
- Label length setting: Auto/30 - 300mm
- Built in cutter enables accurate tape length
- 35 electrical and audio/visual specific symbols
- Handy carry case and mains adaptor included
- Utilises 4 Tape widths (**TZ** tapes) 3.5, 6, 9 & 12mm

555664

Mftrs. List No.	Order Code	Price Each 1+
PT-7100	**178-1130**	

PT-7600VP Label Printer

6 - 24mm

The PT-7600 produces durable labels that are scuff, fade, water, temperature and chemical resistant. They are designed to withstand tough on-site conditions making them perfect for electrical contractors. They are compact in design making them easy to store and transport.

- ABC keyboard
- 16 characters x 2 lines LCD display with Backlight
- Connects to Microsoft Windows based PC
- USB connection
- Built-in advanced tape cutter ensures labels cut to correct size
- Create your own label layouts and add your own symbols or logos
- 10 memory locations for storing customised images and designs
- Extended range of electrician and A/V symbols
- Dedicated 'Label Type' button allows quick label creation for the most common electrical labelling applications
- Automatic numbering quickly and easily creates labels containing incrementing numbers
- Maximum print height: 18mm
- 5 print styles
- 15 frame styles
- 373 characters
- 164 symbols
- 9 types of barcode supported
- Prints up to 7 lines of text
- Helsinki font
- Print speed of 10mm/sec
- Horizontal, vertical and mirror printing
- Memory - 2,000 characters
- Utilises 5 Tape widths (TZ tape) - 6, 9, 12, 18 & 24mm
- Includes carrycase, adaptor, NiCad rechargeable batteries, wrist strap and 2 tapes

525821

Mftrs. List No.	Order Code	Price Each 1+
PT7600VP	**166-0912**	

PT-9600 Label Printer

The PT-9600 and its accompanying software can print a multitude of varying label types and formats, for many different industry applications.

6-36mm

- 20 character, 3 line LCD display
- Up to 10,240 character memory
- Barcode function
- 360 dpi print resolution

- 10 fonts styles
- 24 print sizes
- 18 print styles
- Prints up to 20mm per second
- 28 framing and shading patterns
- Full Qwerty keyboard
- PC compatible with Serial and USB Interface
- Utilises 6 Tape widths (**TZ** tapes) - **6, 9, 12, 18, 24 & 36mm**
- Dimensions (WxDxH): 237x302x104mm
- Supplied with AC adaptor

Contents: Labelling machine, Software on CD, AC adaptor, Rechargeable battery, User's manual, Carry case, TZ tape (24mm Black on White), USB cable and ferrite core for a customer's own serial cable

555676

Mftrs. List No.	Order Code	Price Each 1+
PT-9600	**178-1137**	

PT-2730VP Desktop Electronic Labeller

NEW

TZ TAPE 24mm

Ideal for all your office labelling needs, this feature-packed labeller can print a huge range of labels in different sizes. You can create your own styles or use one of the 55 pre-made designs in 18 languages with the Label Collection (or download even more), and to really speed things up it even remembers words you've typed before - perfect for organising even the busiest office!

- Durable - labels up to 24mm, able to handle extreme conditions
- Space-saving compact, stylish design
- Easy to use QWERTY keyboard
- Preview your design easily with the large LCD screen
- Get creative, with customised labels printed direct from your PC
- Convenient automatic cutter for accurate label length
- Save time with up to 10mm per second printing
- Conveniently comes with 24mm black on white tape (8m)
- Extra versatility - print labels to 3.5, 6, 9, 12, 18 & 24mm
- Powered by AC adaptor (UK plug), or eight AA batteries (not supplied)

623035

Order Code	Price Each 1+	3+
186-6741		

PT-2030VP Desktop Electronic Labeller

NEW

TZ TAPE 18mm

It's quick, versatile and makes it easier than ever to organise your office! The neat desktop design with its easy to read large LCD screen produces a huge range of hard-wearing labels, with a huge range of font sizes, symbols and styles for added flexibility.

- Durable - labels up to 18mm, able to handle extreme conditions
- Easy to use QWERTY keyboard
- Preview your design easily with the large LCD screen
- Space-saving compact, stylish design
- Convenient cutter for accurate label length
- Save time with up to 10mm per second printing
- Get creative, with customised labels printed direct from your PC
- Everything you need - includes 18mm black on white tape (4m)
- Powered by AC adaptor (UK plug), or six AA batteries (not supplied)

623033

Order Code	Price Each 1+	3+
186-6740		

Network Ready Professional Labelling Machine

HG TAPE 12mm to 36mm

TZ TAPE 3.5mm to 36mm

NEW

Resolution	360dpi
Print Speed	20mm/sec
Dimensions (HxWxD)	140mm x 116mm x 192.7mm
Ink Colour	Black
Colour	Light Grey and Pearl White

The PT-9800PCN has built-in networking that allows all network users to create wide, durable labels quickly, without any software or driver installation required. A USB barcode scanner can also be connected directly into the front of the machine - so barcodes can be created without the use of a PC (barcode scanner not supplied).

- Print tested to the extreme labels up to 36mm
- Network ready enabling a small workgroup of people to share saving money on multiple devices
- Print high quality durable barcode labels in an instant
- Advanced cutter - capable of printing a strip of labels that is half-cut and ready to peel easily
- Fast print speeds of up to 80mm per second
- Prints 6, 9, 12, 18, 24 and 36mm labels
- Contents: 36mm black on white HG tape (8m), 12mm blue on white fabric tapes, user's guide, AC adapter, USB cable, CD-ROM

618269

Mftrs. List No.	Order Code	Price Each 1+	5+
PT9800PCNZU1	**184-9743**		

PT-9700 Label Machine

HG TAPE 6-36mm

TZ TAPE 3.5-36mm

- **PC linked** labelling printer
- USB and Serial Connectivity
- Auto (full & half) multi cutting system
- Takes **TZ** (3.5, 6, 9, 12, 24 & 36mm) and **HG** Tapes (6, 9, 12, 18, 24 & 36mm)
- Fast Print Speed
- Comes with Free Tape and Power Adaptor

Contents: Labelling machine, Software on CD, AC adaptor, User's manual and TZ tape (24mm Black on White)

Software supplied: P-Touch Editor Version 5.0 (PC), Version 5.0 (MAC), Printer Driver, Software User's Guide, P-touch Template Tools and ESC/P Tools.

555672

Mftrs. List No.	Order Code	Price Each 1+
PT-9700	**178-1134**	

TX Tapes, P-Touch 8000 and P-Touch PC

	Mftrs. List No.	Order Code	Price Each 1+	10+
6mm - 8m Length				
Black on White Gloss	TX211	**216-331**		
Black on Yellow Gloss	TX611	**216-380**		
White on Black	TX315	**216-574**		
9mm - 8m Length				
Black on White Gloss	TX221	**216-343**		
Black on Yellow Gloss	TX621	**216-392**		
12mm - 8m Length				
Black on White Gloss	TX231	**216-355**		
Black on Yellow Gloss	TX631	**216-409**		
Black on Clear Gloss	TX131	**216-495**		
Black on Green Gloss	TX731	**216-525**		
White on Black Gloss	TX335	**216-598**		

206850

	Mftrs. List No.	Order Code	Price Each 1+	10+
18mm - 15m Length				
Black on White Gloss	TX241	**216-367**		
Black on Yellow Gloss	TX641	**216-410**		
White on Black Gloss	TX345	**216-604**		
24mm - 15m Length				
Black on White Gloss	TX251	**216-379**		
Black on Yellow Gloss	TX651	**216-422**		
Black on Red Gloss	TX451	**216-458**		
Black on Clear Gloss	TX151	**216-513**		
Red on White Gloss	TX252	**216-641**		
Blue on White Gloss	TX253	**216-690**		

TZ Standard Tapes

TZ TAPE

- Tape widths of 6, 9, 12, 18, 24 and 36mm
- All tape reel lengths are **8m**
- Base tape and ink ribbons for the PT340C are shown at the bottom of the listing

A range of popular TZ tapes in widths ranging from 6mm to 36mm. The listing below shows the Laminated (Gloss) and Non-Laminated types, including Fluorescent.

Brother Labelling Systems - continued

TZ Standard Tapes - continued

Note: Other types of TZ tapes available are **Flexi ID** (Flexible), which is ideal for marking cables and a **strong adhesive** type for industrial applications. See within the next listings for details.

339326

Width/Type/Colour	Mftrs. List No.	Order Code	Price Per Reel 1+	10+
6mm - Laminated (Gloss)				
Black on Clear	TZ-111	**603-340**		
Black on White	TZ-211	**603-351**		
White on Black	TZ-315	**603-375**		
Black on Yellow	TZ-611	**603-363**		
9mm Laminated (Gloss)				
Black on Clear	TZ-121	**603-387**		
Black / White on Black	TZ-221	**603-399**		
Red on White	TZ-222	**603-442**		
Blue on White	TZ-223	**603-454**		
White on Black	TZ-325	**603-478**		
Black on Red	TZ-421	**603-405**		
Black on Blue	TZ-521	**603-417**		
Black on Yellow	TZ-621	**603-429**		
Black on Green	TZ-721	**603-430**		
9mm Non-Laminated				
Black on White	TZ-N221	**603-776**		
12mm Laminated (Gloss)				
Black on Clear	TZ-131	**603-480**		
White on Clear	TZ-135	**453-481**		
Black on White	TZ-231	**603-508**		
Red on White	TZ-232	**603-570**		
Blue on White	TZ-233	**603-582**		
Gold on Black	TZ-334	**603-594**		
White on Black	TZ-335	**603-600**		
Black on Red	TZ-431	**603-510**		
Black on Blue	TZ-531	**603-521**		
White on Blue	TZ-535	**453-456**		
Black on Yellow	TZ-631	**603-533**		
Black on Green	TZ-731	**603-545**		
12mm Non-Laminated				
Black on White	TZ-N231	**603-788**		
12mm Fluorescent				
Black on Fluorescent Orange	TZ-B31	**382-2072**		
Black on Fluorescent Yellow	TZ-C31	**603-557**		
18mm Laminated (Gloss)				
Black on Clear	TZ-141	**603-636**		
Black on White	TZ-241	**603-648**		
Red on White	TZ-242	**603-697**		
Gold on Black	TZ-344	**603-715**		
White on Black	TZ-345	**603-727**		
Black on Red	TZ-441	**603-650**		
Black on Blue	TZ-541	**603-661**		
Black on Yellow	TZ-641	**603-673**		
18mm Non-Laminated				
Black on White	TZ-N241	**603-855**		
24mm Laminated (Gloss)				
Black on Clear	TZ-151	**957-562**		
Black on White	TZ-251	**957-574**		
Red on White	TZ-252	**957-586**		
Blue on White	TZ-253	**957-598**		
White on Black	TZ-355	**957-604**		
Black on Red	TZ-451	**382-2011**		
Black on Yellow	TZ-651	**957-616**		
36mm Laminated (Gloss)				
Black on Clear	TZ161	**302-8860**		
Black on White	TZ-261	**302-8872**		
Black on Blue	TZ-561	**302-8896**		
Black on Yellow	TZ-661	**302-8902**		
Blue on White	TZ-263	**302-8926**		

The first online technical portal for design engineers
Log on, research, refine and design

Brady Labelling Systems

IDXPERT™ Handheld Labelling Machine

ABC Keyboard Model

QWERTY Keyboard Model

BRADY's handheld labelling system has everything it takes to make you an Identification Expert! The IDXPERT™ is a handheld cartridge based labelling system that can print die-cut labels, self-laminating labels and sleeves as well as continuous tapes and pipe markers.

IDXPERT™ comes in two versions. The handheld system is the ideal choice for labelling on the go and in the field, while the Keyboard Layout system offers you the added benefits of a qwerty keyboard.

- Die cut and continuous labels - Extensive range of IDXPERT™ label cartridges available
- Drop, lock and print smart IDXPERT™ cartridges
- 300 dpi thermal transfer printing
- Tape size up to 38.11 mm
- Bar coding (code 39)
- Banner printing
- Fixed length & step printing (terminal block and patch panel ID)
- Pre-programmed telecom, datacom, electrical & safety symbols
- Time/Date stamp
- Serialisation feature for increased efficiency
- Operates on 6 AA batteries (not supplied) or optional adaptor

Contents: Printer, hard case, XC-1500-580-WT-BK cartridge, PC Cable (for upgrades only), printed quick start guide (4 languages: English, French, German, Dutch), CD-Rom with quick start guide and user manual in 11 languages, Warranty registration card

	IDXPERT ABC	IDXPERT Qwerty
Dimensions	95.25x292x127mm	190.5x241.3x88.9mm
Weight (Incl. Cartridge/Batteries)	1.09kg	1.11kg
Power Supply	6 x AA or AC Adaptor	
Font Sizes	11	
LCD Screen	3-Line 16-Characters	
Max. Label Wdth	38.1mm	
Max. Label Length (Die-Cut label)	200mm	
Max. Print Length	482mm	
Multiple Line Printing	Yes - Maximum 23 Lines	
Number of Characters Per Line	Maximum 50	
Print Rotation	0°, 90°, 180°, 360°	
Alignment	Vertical, Horizontal	
Format Text	Bold	
PC Connectivity	For Firmware Upgrades	

386419.410796

Description	Mftrs. List No.	Order Code	Price Each
ABC Layout IDXPERT Labeller	XPERT-ABC	**876-9010**	
QWERTY IDXPERT Labeller	XPERT-KEY	**876-9036**	

Desktop Thermal Transfer Bar Code Printer

NEW

- Space saving design - small footprint
- Fast processor: 200 MHz
- Standard memory of 2 MB FLASH, 8 MB SDRAM and an SD card slot for memory expansion up to 4 GB
- High quality double-walled clamshell design
- A very wide range of labels, tags, cable markers and sleeves can be printed with the BBP11 series, thanks to the fully adjustable sensors
- Printing up to 5" per second
- Durability and reliability
- Ethernet, USB 2.0, Serial and Parallel interfaces are standard on the BBP11 printer
- Powerful firmware: TSPL2, file manager, BASIC programming, stand-alone programming

616965

	Mftrs. List No.	Order Code	Price Each 1+	5+
LABEL PRINTER, 300DPI, BBP11	361072	**182-1795**		

i·Buy
INTELLIGENT ONLINE BUYING SYSTEM PROVIDING
Complete cost control, reduced administration time, visibility of your spend, flexibility and personalised to your company's needs.
farnell.com/ibuy

BMP™71 Label Printer

BRADY

NEW

The BMP™71 printer replaces Brady TLS 2200™ and HandiMark™ printers by combining the functionality of both into one printer. The BMP™71 printer is compatible with TLS 2200™ and HANDIMARK™ labels

- Large, full colour graphical display:
- Speed of 38mm per second
- Storage space for over 100,000 label files
- Hundreds of symbols and graphics
- Multiple font size and auto font size
- Frame, mirror print and vertical print
- Sequences and time/date stamp

BMP71 includes:

- Hardcase
- Charger/AC adaptor
- 1 x roll of M71-31-423 white die cut labels
- 1 x R6000 ribbon cartridge
- Roll adaptor
- USB cable
- Quickstart guide
- CD including the printer driver, user guide and tutorial

615355

	Mftrs. List No.	Order Code	Price Each 1+
LABEL PRINTER, BMP71, LABELMARK	BMP71	**182-7526**	

Labels

BRADY WHEN PERFORMANCE MATTERS MOST

NEW

Engraved Plate Replacement Labels

Mftrs. List No.	Colour	Width (mm)	Height (mm)	Pack Qty	Order Code
THTEP-02-7593-WT	White	27	12.5	2000	177-9602
THTEP-04-7593-WT	White	27	18	1500	177-9603
THTEP-05-7593-GR	Green	30	40	750	177-9604
THTEP-05-7593-RD	Red	30	40	750	177-9605
THTEP-05-7593-WT	White	30	40	750	177-9607
THTEP-08-7593-WT	White	48	19	1250	177-9610
THTEP-08-7593-YL	Yellow	48	19	1250	177-9611
THTEP-09-7593-WT	White	69	19	1200	177-9612
THTEP-09-7593-YL	Yellow	69	19	1200	177-9613
THTEP-15-7593-WT	White	60	30	750	177-9614
THTEP-15-7593-YL	Yellow	60	30	750	177-9615

PermaSleeve™ Wire marking Sleeves

Mftrs. List No.	Colour	Width (mm)	Height (mm)	Cable Diameter Min. (mm)	Cable Diameter Max. (mm)	Pack Qty	Order Code
3PS-187-2-WT	White	50.8	8.5	1.57	3.81	2500	177-9616
3PS-250-2-WT	White	50.8	11.15	2.39	5.46	2500	177-9617

Thermal Transfer Labels

Mftrs. List No.	Colour	Finish	Width (mm)	Height (mm)	Material	Pack Qty	Order Code
THT-9-427-10	White / Transparent	Matt	25.4	36.5	Vinyl	10000	177-9619
THT-10-427-3	White / Transparent	Matt	25.4	95.25	Vinyl	3000	177-9621
THT-17-424-3	White	Matt	50.8	25.4	Paper	3000	177-9622
THT-19-424-1	White	Matt	76.2	50.8	Paper	1000	177-9623
THT-17-423-3	White	Gloss	50.8	25.4	Polyester	3000	177-9624
THT-17-422-3	White	Gloss	50.8	25.4	Polyester	3000	177-9625
THT-17-413-3	Metallic	–	50.8	25.4	Polyester	3000	177-9626
THT-17-480-3	Metallic	–	50.8	25.4	Polyester	3000	177-9627
THTTL-6-430	Clear	Gloss	49	11	Polyester	1000	177-9630
THTTL-5-430	Clear	Gloss	39	5	Polyester	1000	177-9632

Laminat™ Carries

Mftrs. List No.	Colour	Width (mm)	Height (mm)	Pack Qty	Order Code
LC-103X15-B7644	Yellow	15	103	100	177-9628
LC-71X9-B7644	Yellow	9	71	100	177-9629

Printer Ribbon

Mftrs. List No.	Colour	Width (mm)	Length (m)	Formulation	Order Code
IP R-4300	Black	83	300	Wax / Resin	177-9608
IP R-6002	Black	83	300	Resin	177-9609

Mftrs. List No.	Order Code	Price Per Reel 1+	5+
Printer Ribbon			
IP R-4300	**177-9608**		
IP R-6002	**177-9609**		

603465

Mftrs. List No.	Pack Qty	Order Code	Price Per Pack 1+	5+
Engraved Plate Replacement Labels				
THTEP-02-7593-WT	2000	**177-9602**		
THTEP-04-7593-WT	1500	**177-9603**		
THTEP-05-7593-GR	750	**177-9604**		
THTEP-05-7593-RD	750	**177-9605**		
THTEP-05-7593-WT	750	**177-9607**		
THTEP-08-7593-WT	1250	**177-9610**		
THTEP-08-7593-YL	1250	**177-9611**		
THTEP-09-7593-WT	1200	**177-9612**		
THTEP-09-7593-YL	1200	**177-9613**		
THTEP-15-7593-WT	750	**177-9614**		
THTEP-15-7593-YL	750	**177-9615**		
Engraved Plate Replacement Labels				
THT-9-427-10	10000	**177-9619**		
THT-10-427-3	3000	**177-9621**		
THT-17-424-3	3000	**177-9622**		
THT-19-424-1	1000	**177-9623**		
THT-17-423-3	3000	**177-9624**		
THT-17-422-3	3000	**177-9625**		
THT-17-413-3	3000	**177-9626**		
THT-17-480-3	3000	**177-9627**		
THTTL-6-430	1000	**177-9630**		
THTTL-5-430	1000	**177-9632**		
PermaSleeve™ Wire Marking Sleeves				
3PS-187-2-WT	2500	**177-9616**		
3PS-250-2-WT	2500	**177-9617**		
Laminat™ Carriers				
LC-103X15-B7644	100	**177-9628**		
LC-71X9-B7644	100	**177-9629**		

IDXPERT™ - Wire and Cable Markers - Permasleeve™ Sleeves

BRADY WHEN PERFORMANCE MATTERS MOST



Full circle heat-shrink sleeves are the ultimate in marker durability, performance and appearance. Fast-shrink design saves time and cost during application. Ideal in environments where insulation purposes are required. Available as individual 25.78mm (1 inch) long markers or cut-to-length continuous supply.

B-342 Heat Shrink Polyolefin - 3-to-1 shrink ratio, self-extinguishing, meets material and physical properties requirements of MIL-DTL-23053/5C class 1, MIL-M-81531, MIL-STD-202F, method 215 and UL 224, temperature range -55 °C to 135°C



Diagram 1



Diagram 2

Ref.	Wire Dia. Range (mm)	Diag.	Dimensions A	Dimensions B	Colour	Order Code
1	1.2 - 2.8	1	25.78mm	5.96mm	Black on White	876-9532
2	1.6 - 3.8	1	25.78mm	8.50mm	Black on White	876-9567
3	2.4 - 5.5	1	25.78mm	11.15mm	Black on White	876-9591
4	3.2 - 8.1	1	25.78mm	16.38mm	Black on White	876-9621
9	2.4 - 5.5	2	3.65m	11.15mm	Black on White	876-9605
10	2.4 - 5.5	2	3.65m	11.15mm	Black on Yellow	876-9613

386462.411002

Ref.	Mftrs. List No.	Labels/ Cartridge	Order Code	Price Per Cartridge 1+
25.78mm Marker Length				
1	XPS-125-1	100	**876-9532**	
2	XPS-187-1	100	**876-9567**	
3	XPS-250-1	100	**876-9591**	
4	XPS-375-1	100	**876-9621**	
Continuous (Cut to Length)				
9	XPS-250-CONT	1 Roll	**876-9605**	
10	XPS-250-CONT-YL-BK	1 Roll	**876-9613**	

FREE GLOBAL LEGISLATION SUPPORT

RoHS, REACH, WEEE, ErP, Batteries Directive - latest updates, free white papers and live online Q&A at **element14.com/legislation**

Brady Labelling Systems - continued

IDXPERT™ - Wire and Cable Markers Self-Laminating Labels



Self-laminating labels are ideal for marking data en electrical cables. Even when the wire/cable is in a fixed position you can still apply the label. It is also possible to label cable bundles. The wire and cable marker's protected printing offers superior chemical and abrasion resistance. It features a non-printed clear area which wraps around and overlaminates the printed text and automatically "multiple repeats" your text in the white print area.

B-427 Vinyl Self-Laminating - Resistant to water, oil, solvents and abrasion, self-extinguishing, temperature range -70 °C to 70 °C

Ref.	Max. Wire Dia. (mm)	Datacom/Electrical Application	Dimensions (mm)			Order Code
			A	B	C	
1	4	Electrical Wire ID	12.70	19.05	9.53	876-9290
2	4	Electrical Wire ID	25.40	19.05	9.53	876-9249
3	5	Electrical Wire ID	12.70	25.40	9.53	876-9281
4	5	Electrical Wire ID	19.05	25.40	9.53	876-9257
5	5	2 pair Fibre/Coax. Single Multi-Mode	25.40	25.40	9.53	876-9230
6	7	Cat-5, 4 pair UTP Copper	12.70	31.75	9.53	876-9273
7	7	Cat-5, 4 pair UTP Copper, Fibre, Coaxial	25.40	31.75	12.70	876-9214
8	7	Cat-5, 4 pair UTP Copper	38.10	31.75	12.70	876-9184
10	8	Cat-5, 4 pair UTP Copper	19.05	38.10	12.70	876-9222
11	8	Cat-5, 4 pair UTP Copper, Fibre, Coaxial	25.40	38.10	12.70	876-9192
12	8	Cat-5, 4 pair UTP Copper, Fibre, Coaxial	25.40	38.10	12.70	876-9206
14	14	25 pair Copper, 4-12 pair Fibre, Coaxial	25.40	63.50	19.05	876-9150
15	14	25 Pair Copper, 4-12 Pair Fibre, Coaxial	25.40	63.50	19.05	876-9168
16	14	25 Pair Copper, 4-12 Pair Fibre, Coaxial	38.10	63.50	19.05	876-9141

386463.411003

Ref.	Mftrs. List No.	Labels/ Cartridge	Order Code	Price Per Cartridge 1+
1	XSL-11-427		876-9290	
2	XSL-96-427		876-9249	
3	XSL-17-427		876-9281	
5	XSL-19-427		876-9230	
7	XSL-103-427		876-9214	
8	XSL-115-427		876-9184	
10	XSL-30-427		876-9222	
11	XSL-31-427		876-9192	
12	XSL-31-427-YL-BK		876-9206	
14	XSL-21-427		876-9150	
15	XSL-21-427-YL-BK		876-9168	
16	XSL-116-427		876-9141	

IDXPERT™ - Continuous Tape for Multiple Applications

This indoor/5yr outdoor vinyl is very pliable and conforms well to smooth and rough surfaces such as pipes, walls, doors, panels, shelving, bins and equipment. Aggressive permanent adhesive. Excellent resistance to oils, detergents, dirt, grime and many solvents. Good for rough surfaces.

- Supplied in rolls of length 9.14m (A)

B-580 Indoor/Outdoor Vinyl - Temperature range -40°C to 120°C

386461.410885

Colour	Width B (mm)	Mftrs. List No.	Order Code	Price Per Cartridge 1+
Black on White	12.70	XC-500-580-WT-BK	876-9648	
Black on White	25.40	XC-1000-580-WT-BK	876-9729	
Black on Yellow	12.70	XC-500-580-YL-BK	876-9664	
Black on Yellow	38.10	XC-1500-580-YL-BK	876-9826	
White on Blue	38.10	XC-1500-580-BL-WT	876-9869	

BMP™21 Label Printer

NEW

The BMP™21 Portable Label Printer is an all-in-one labeler for voice/data comm, electrical and general industrial crews. With label materials designed specifically for harsh environments, the BMP™21 portable printer can quickly and easily create clear, legible labels that stay stuck for years - despite extreme temperatures and curved or highly textured surfaces.

- Easy-to-load cartridges
- Built in touch cell in labels and ribbon allows printer to automatically format label
- 6 font sizes - includes bold, auto sizing and bold auto sizing
- 80 different symbols - 13 specific to voice/data comm.
- Barcoding - choose from 39 and 128
- Automated serialization - includes multiple copies and increment options
- Multiple print
- Dual cutter buttons and label retention
- Easy-to-read - 50.8 mm x 25.4 mm display with backlight
- Built in bumper guards
- Print and cut technology - press print once for multi-print or serial
- Store, retrieve and delete label files
- Automatic shut-off if not used in 10 minutes

Print Resolution	203 dpi	Max. Roll Length	533mm
Print Technology	Thermal Transfer	Text Sizes	6 (6 to 40 point font)
Power Supply	6 x AA or AC Power (optional)	Bar Code Type	39 and 128
Display	LCD	Weight	0.75kg
Max. Label Wdth	19.05mm		

555294

Description	Mftrs. List No.	Order Code	Price Each 1+
BMP21 Handheld Printer	BMP21-PRINTER	177-9569	
Accessories			
AC Adaptor (UK)	BMP21-AC UK	177-9571	

Tyco Labelling Systems

T212M Printer

- Desktop thermal transfer printer
- Economical printer for low to medium volume users
- 300 dpi print heads producing high quality text, barcodes and graphic images.
- Printer is designed for use with Tyco Electronics range of heat shrinkable wire marker sleeves and labels (can not be used with CM-SCE)
- Ribbons and software need to be purchased separately
- UK and European mains leads supplied with printer

Technical Specification - Printer Ribbon

Mftrs. List No.	1330-0607-T200	1330-0619-T200
Compatible Printer	T212M	T212M
Ribbon Width	110mm	110mm
Ribbon Length	74m	74m
Ink Type	Resin	Resin
Colour	Black	Black
Ribbon Wind	Ink Side Out	Ink Side Out
Compatible Materials	TMS-SCE & RPS	HX-SCE

505374

Mftrs. List No.	Description	Order Code	Price Each 1+
T212M-PRINTER	Thermal Transfer Printer	156-3974	
1330-0607-T200	Ribbon for WP & MP Labels	156-3975	
TMS-101-RIBBON-4RPSCE	Ribbon for TMS-SCE Labels	121-0587	
T200-RIBBON-1966	Ribbon for HX-SCE Labels	NEW 186-0275	
WINTOTAL-5-DONGLE	WinTotal Software Dongle	NEW 183-8361	

Laser Printer Labels

NEW

A4-size symmetrically-designed Polyester labels for laser printers ensure proper feeding in the paper tray. The label sheets are useable for the stack function of your printer. The sheets can be used several times if partial label amounts need to be printed. Special surface coatings give an extremely high aging-resistance of the printing image.

Colour: Yellow (LEB-P-4), Silver (LEB-P-8A), White (LEB-P-9)
Label Type: Self Adhesive
Material: Polyester

625822

RoHS Compliant / Non-compliant

Label Size	Pack Quantity	Mftrs. List No.	Order Code	Price Per Card 1+	10+	50+
6.35mm x 15.24mm	528	LEB-0615P-4	186-4009			
8.5mm x 17.5mm	330	LEB-0818P-4	186-4010			
9mm x 20mm	270	LEB-0920P-4	186-4011			
9.5mm x 40mm	88	LEB-1040P-4	186-4012			
12.7mm x 17.78mm	220	LEB-1318P-4	186-4013			
12.7mm x 25.4mm	154	LEB-1325P-4	186-4015			
17mm x 43mm	52	LEB-1743P-4	186-4016			
34mm x 60mm	21	LEB-3460P-4	186-4017			
52mm x 70mm	10	LEB-5270P-4	186-4018			
60mm x 90mm	8	LEB-6090P-4	186-4019			
6.35mm x 15.24mm	528	LEB-0615P-8A	186-4020			
8.5mm x 17.5mm	330	LEB-0818P-8A	186-4021			
9mm x 20mm	270	LEB-0920P-8A	186-4022			
9.5mm x 40mm	88	LEB-1040P-8A	186-4023			
12.7mm x 17.78mm	220	LEB-1318P-8A	186-4024			
12.7mm x 25.4mm	154	LEB-1325P-8A	186-4025			
17mm x 43mm	52	LEB-1743P-8A	186-4027			
34mm x 60mm	21	LEB-3460P-8A	186-4028			
52mm x 70mm	10	LEB-5270P-8A	186-4029			
60mm x 90mm	8	LEB-6090P-8A	186-4030			
	1	LEB-A4P-8A	186-4031			
6.35mm x 15.24mm	528	LEB-0615P-9	186-4032			
8.5mm x 17.5mm	330	LEB-0818P-9	186-4033			
9mm x 20mm	270	LEB-0920P-9	186-4034			
9.5mm x 40mm	88	LEB-1040P-9	186-4035			
12.7mm x 17.78mm	220	LEB-1318P-9	186-4036			
12.7mm x 25.4mm	154	LEB-1325P-9	186-4037			
17mm x 43mm	52	LEB-1743P-9	186-4039			
34mm x 60mm	21	LEB-3460P-9	186-4041			
52mm x 70mm	10	LEB-5270P-9	186-4042			
60mm x 90mm	8	LEB-6090P-9	186-4043			
	1	LEB-A4P-9	186-4044			

PPT Thermal Transfer Printable Labels

Tyco Electronics

Destructible

NEW

PPT printable labels are made of tamper-proof destructible polyethylene, with a permanent pressure sensitive rubber adhesive. They can be custom printed to be used as certification, quality control labels, etc. The permanent thermal transfer printing resists abrasion and harsh environment applications. If the label is removed, its material structure will cause it to break, thereby indicating evidence of tampering.

Colour: Yellow (PPT-35DF-4) White (PPT-35DF-9)
Label Type: Self Adhesive
Material: Polyethylene

625823

Label Size	Pack Qty	Mftrs. List No.	Order Code	Price Per Reel 1+	5+	10+
35mm	1500	PPT-35DF-4	186-4047			
35mm	1500	PPT-35DF-9	186-4048			

Thermal Transfer Labels - EET-G / P

Tyco Electronics

NEW

Colour: Yellow
Label Type: Self Adhesive
Material: G-4 - Polyamide
P-4 - Polyester

EET-G-4 labels were developed for thermal transfer printers using yellow woven Polyamide with a permanent acrylic adhesive for application on irregular, low-energy, lightly oiled or powder coated surfaces.
EET-P-4 labels were developed for thermal transfer printers. Made from Polyester, these labels have a permanent acrylic adhesive and can be used for electronic boards or any other parts that require barcodes, serial numbers and general identification information. Their yellow colour and strong resistance to abrasion make them ideal for easy identification in production and other harsh environment conditions. They are resistant to multiple solvents and retain a high level of print quality.

625818

Label Size	Pack Quantity	Mftrs. List No.	Order Code	Price Per Reel 1+	5+	10+
6.4mm x 15mm	10000	EET-0615G-4	186-3993			
8mm x 20mm	10000	EET-0820G-4	186-3994			
9mm x 20mm	10000	EET-0920G-4	186-3995			
12.7mm x 25.4mm	10000	EET-1325G-4	186-3996			
6.35mm x 15mm	10000	EET-0615P-4	186-3997			
8mm x 20mm	10000	EET-0820P-4	186-3998			
9mm x 20mm	10000	EET-0920P-4	186-3999			
12.7mm x 25.4mm	10000	EET-1325P-4	186-4000			
25mm x 50mm	3000	EET-2551P-4	186-4001			
60mm x 90mm	3000	EET-6090P-4	186-4003			

Pre Printed/Write-On Labels & Accessories

ROHS Compliance Labels

pro-POWER

30 x 10mm

30 x 10mm

15mm ∅

A range of labels for use in marking equipment and components as being RoHS compliant.

- Polyester with polyester over laminate and acrylic adhesive
- Excellent adhesion to most surfaces including powder coated and low energy surfaces

538005

Mftrs. List No.	Label Size	Pack Quantity	Order Code	Price Per Pack 1+	5+	10+
RoHS Compliant Directive 2002/95/EC						
7827258	30x10mm	500	171-7255			
7827259	30x10mm	5000	171-7256			
Pb						
7827260	15mm Dia	500	171-7257			

WEEE Compliant Labels

pro-POWER

White on Black

Black on White

The crossed out wheelie bin symbol is compliant to the latest norm for WEEE marking (EN50419:2005).

- Material: B7541 laminate polyester
- Available in two styles and sizes and supplied in rolls of either 500 or 5000 labels

538008

Mftrs. List No.	Label Size	Pack Quantity	Order Code	Price Each 1+	5+	10+
White on Black						
7827363	10 x 13mm	500	171-7259			
7827264	10 x 13mm	5000	171-7260			
7827364	15 x 20mm	500	171-7262			
Black On White						
7827261	10 x 13mm	500	171-7263			
7827262	10 x 13mm	5000	171-7264			
7827263	15 x 20mm	500	171-7265			

Inspection Arrows

pro-POWER



H=3.2, W=4.7

- Self-adhesive, cloth backed, vinyl labels
- Black on Yellow arrow head to highlight and pinpoint faults
- Can easily be removed without leaving any adhesive or residue
- Ideal for PCBs or finished surfaces

538220

Mftrs. List No.	Labels Per Card	Order Code	Price Per Card 1+	10+	100+	500+
7827279	576	171-7282				

TROUBLESHOOTING TIPS
Chat online to one of our technical engineers at **farnell.com**

Pre Printed/Write-On Labels & Accessories - continued

Harmonised Core Colour Introdution Labels

pro-POWER



NEW

- Label Type: Self Adhesive
- Material: Polyester
- Colour: White
- Legend: Harmonised Core Colour Introduction

618273

Size	Qty	Order Code	Price Per Pack 1+	10+	50+	+	+
50 x 100mm	10	**184-5309**					

Self-Adhesive Write-On Labels

pro-POWER

Nylon Cloth

- For industrial, warehouse, QA and safety marking needs
- Easily adhere to clean, dry surfaces
- Removable adhesive remains firmly in place until removed
- Each pack contains 350 labels measuring 16x38mm
- Backing card provides a firm writing surface

- To select the correct label for your requirements, refer to the Farnell Order Code **under** the desired legend
- The **Manufacturers List No.** is shown in brackets after the relevant Farnell Order Code.

171-7283 (7827281)	171-7298 (7827294)	171-7312 (7827307)	171-7326 (7827320)
171-7284 (7827282)	171-7300 (7827296)	171-7313 (7827308)	171-7328 (7827280)
171-7286 (7827283)	171-7301 (7827297)	171-7314 (7827309)	171-7329 (7827321)
171-7287 (7827284)	171-7302 (7827298)	171-7316 (7827310)	171-7330 (7827322)
171-7288 (7827285)	 171-7304 (7827299)	171-7317 (7827311)	171-7331 (7827323)
171-7289 (7827286)	171-7305 (7827300)	171-7319 (7827313)	 171-7332 (7827324)
171-7290 (7827287)	171-7306 (7827301)	 171-7320 (7827314)	 171-7333 (7827325)
171-7291 (7827288)	171-7307 (7827302)	171-7321 (7827315)	171-7334 (7827326)
171-7292 (7827289)	 171-7309 (7827304)	 171-7322 (7827316)	171-7335 (7827327)
171-7294 (7827291)	 171-7310 (7827305)	171-7323 (7827317)	
171-7296 (7827293)	171-7311 (7827306)	 171-7325 (7827319)	

538236

Pack Size	Order Code	Price Per Pack 1+	5+	20+	50+
350 Labels	**All Order Codes**				

Self-Adhesive Write-On Labels

pro-POWER

Metalised Polyester

- For industrial, warehouse, QA and safety marking needs
- Easily applied to any clean, dry, oil free surface
- Each label is smudge-free and permanently debossed once marked
- Each pack contains 350 labels measuring 16x38mm
- Labels supplied on a backing card to provide a firm writing surface

171-7336 (7827328)	171-7343 (7827333)	171-7359 (7827348)	171-7349 (7827339)
171-7337 (7827329)	171-7348 (7827338)	171-7360 (7827349)	 171-7350 (7827340)
171-7338 (7827330)	171-7353 (7827342)	171-7361 (7827350)	171-7351 (7827341)
171-7341 (7827331)	 171-7355 (7827344)	171-7345 (7827335)	171-7354 (7827343)
171-7342 (7827332)	171-7356 (7827345)	171-7347 (7827337)	

- To select the correct label for your requirements, refer to the Farnell Order Code **under** the desired legend
- The **Manufacturers List No.** is shown in brackets after the relevant Farnell Order Code.

538249

Pack Size	Order Code	Price Per Pack 1+	5+	20+	50+
350 Labels	**All Order Codes**				

General

pro-POWER



- Easily marked with a ball pen, typewriter or spirit based ink
- Self-adhesive, cloth backed, white vinyl labels
- Pre-printed legends
- Supplied on dispenser cards

Mftrs List No.	Legend	Label Size	Labels Per Card	Label Colour
7827265	Tested	15x38mm	14	Green
7827266	Plain Label	15x38mm	14	Plain
7827267	Accepted	15x38mm	14	Green
7827268	Rejected	15x38mm	14	Red
7827269	Serial No.	15x38mm	14	Black
7827270	Calibration	15x38mm	14	Green
7827271	Batch No	15x38mm	14	Blue
7827272	Serviced By	15x38mm	14	Blue
7827273	Calibration Not Required	15x38mm	14	Red
7827274	Inspected by	15x38mm	14	Black
7827276	Tested for Electrical Safety (A)	15x38mm	14	Green
7827277	Do Not Use	15x38mm	14	Red
7827278	Part No	15x38mm	18	Blue
7827351	Test for Electrical Safety (B)	15x38mm	14	Green

538013

Mftrs. List No.	Legend	Order Code	Price Per Card 10+	100+	500+	1K+
7827265	Tested	**171-7266**				
7827266	Plain Label	**171-7267**				
7827267	Accepted	**171-7268**				
7827268	Rejected	**171-7269**				
7827269	Serial No.	**171-7270**				
7827270	Calibration	**171-7271**				
7827271	Batch No	**171-7272**				

RoHS Compliant Non-compliant

Mftrs. List No.	Legend	Order Code	Price Per Card 10+	100+	500+	1K+
7827272	Serviced By	171-7274				
7827273	Calibration Not Required	171-7275				
7827274	Inspected by	171-7276				
7827276	Tested for Electrical Safety (A)	171-7277				
7827277	Do Not Use	171-7278				
7827278	Part No	171-7279				
7827351	Test for Electrical Safety (B)	171-7280				

Partially Laminated

Tyco Electronics

H=15, W=40mm

- Pre-printed, self-adhesive vinyl labels
- Partially laminated with clear polyester
- Allows text to be written or typed on, then fully laminated
- Unaffected by mild acids, alkalis, oils, grease and aliphatic solvents
- Supplied as 100 labels per pack (5 labels per strip, 20 strips per pack)

213946

100 Per Pack Legend	Order Code	Price Each 1+	10+	50+	100+	200+
Tested	463-668					
Serial No.	463-670					
Tested for Electrical Safety	463-681					
Next Test Due	463-693					
Equipment No.	463-700					

Tamper-proof

Visible

Tyco Electronics



- If removed once applied leaves a "void message" behind
- Label cannot be re-applied
- Partially laminated with clear polyester allowing text to be written or typed and then fully laminated
- Supplied as 100 labels per pack (5 labels per strip, 20 strips per pack)

213932

100 Per Pack Order Code	Price Per Pack 1+	10+	50+	100+	200+
463-723					

Tamper-Proof Labels

PANDUIT

- If removed once applied leaves a checked patterns on the surface
- Label cannot be re-applied
- For tamper evident applications
- For use in laser printers only

524544

Mftrs. List No.	Length (mm)	Width (mm)	Labels Per Card	Order Code	Price Per Card 1+	5+	10+
C200X100AAL	25.4	50.8	28	165-7358			
C275X125AAL	31.8	69.85	18	165-7359			
C075X025AAL	6.4	19.05	270	165-7360			
C100X050AAL	12.7	25.4	119	165-7361			

Mftrs. List No.	Length (mm)	Width (mm)	Pack Size	Order Code	Price Per Pack 1+	5+	10+
C275X125AAL	31.8	69.85	1000	171-2448			

Partially Laminated with Clear Polyester

pro-POWER

NEW

A

B

- Label Type: Tamperproof
- Material: Vinyl
- Colour: White
- Size A: ∅19mm
- Size B: 12mm x 40mm

617827

Legend	Qty	Order Code	Price Per Pack 1+	10+	100+	500+	1K+
Calibration Void if broken A	9	184-5285					
Calibration Void if broken B	17	184-5303					
Warrenty Void if Broken A	9	184-5315					
Warrenty Void if Broken B	17	184-5316					

Tamper-Proof Labels

Q.A. Seal

pro-POWER

- Once in place, label cannot be removed without fracturing
- Supplied on dispenser cards

538251

Mftrs. List No.	Labels Size	Labels Per Card	Order Code	Price Per Card 1+	10+	100+	500+
7827352	∅ 13mm	20	171-7362				
7827353	13 x 37mm	11	171-7363				

CE Labels

pro-POWER

- Label Type: Self Adhesive
- Material: Self Adhesive Vinyl Labels
- Colour: White

NEW

617924

Legend	Size	Qty	Order Code	Price Per Pack 1+	5+	10+	25+	50+
CE	12.7 x 12.7mm	500	184-5301					
CE	19 x 19mm	500	184-5302					
CE	6.35 x 7.62mm	500	184-5304					

CE Labels

Tyco Electronics

- White self adhesive vinyl labels
- Durable polyester laminate
- Meets with CE marking requirements

214180

500 Per Pack	Order Code	Price Per Pack 1+	5+	10+	25+	50+
6.35x7.62mm	764-966					
12.7x12.7mm	665-800					
19.05x19.05mm	665-812					

Earth Symbol

pro-POWER



- White on green self adhesive vinyl label
- Durable polyester laminate

538255

100 per pack Mftrs. List No.	Label Size	Order Code	Price Per Pack 1+	5+	10+	25+
7827354	19 x 19mm	171-7365				
7827355	12.5 x 12.5mm	171-7366				

Copper Rail Labels

Tyco Electronics

A range of self-adhesive vinyl labels with pre-printed legends to identify copper rails, connections or operating resources.

- Available in 12.5mm or 16mm diameters.
- Temperature resistant from -30°C to 100°C
- Dirt repelling
- Long lasting adhesive strength

Legend	Label Diameter	Label Colour	Order Code
N	12.5mm	Blue	128-9072
N	16mm	Blue	128-9073
Earth	12.5mm	Yellow / Green	128-9074
Earth	16mm	Yellow / Green	128-9075

450119

100 per pack Legend	Labels Per Strip	Order Code	Price Per Strip 1+	10+	50+	100+
N	10	128-9072				
N	10	128-9073				
Earth	10	128-9074				
Earth	10	128-9075				

Pre Printed/Write-On Labels & Accessories - continued

Warning Labels

pro-POWER

NEW

- Label Type: Self Adhesive
- Material: Self Adhesive Vinyl
- Colour: Yellow

184-5318

184-5281

184-5313

184-5284

184-5282

184-5296

184-5314

184-5297

184-5298

184-5306

184-5293

184-5307

184-5294

184-5295

184-5319

184-5283

184-5300

617923

Legend	Size	Qty	Order Code	Price Per Pack 1+	10+	100+	500+	1K+
110V	11 x 30mm	20	**184-5281**					
415v	32 x 11mm	20	**184-5282**					
Warning	19 x 40mm	12	**184-5283**					
240V	11 x 30mm	20	**184-5284**					
110V	19 x 19mm	10	**184-5293**					
230V	19 x 19mm	10	**184-5294**					
240V	19 x 19mm	10	**184-5295**					
110VAC	19 x 40mm	10	**184-5296**					
230VAC	19 x 38mm	10	**184-5297**					
240VAC	19 x 40mm	10	**184-5298**					
Warning Isolate	19 x 40mm	10	**184-5300**					
(warning flash)	19 x 20mm	10	**184-5306**					
115V	19 x 19mm	10	**184-5307**					
230V	11 x 30mm	20	**184-5313**					
115VAC	19 x 40mm	10	**184-5314**					
Beware	40 x 33mm	5	**184-5318**					
Danger	25 x 60mm	8	**184-5319**					

Warning

Tyco Electronics

A range of self-adhesive vinyl labels with pre-printed legends. They are supplied on a strip.

Legend	Label Size	Label Colour	Order Code	110VAC	38x19mm	Yellow	463-760
110V	32x11mm	Yellow	146-364	115VAC	38x19mm	Yellow	890-790
230V	32x11mm	Yellow	890-789	230VAC	38x19mm	Yellow	463-772
240V	32x11mm	Yellow	147-587	240VAC	38x19mm	Yellow	463-784
415v	32x11mm	Yellow	146-366	(warning flash)	19x19mm	yellow	765-533
110V	19x19mm	Yellow	463-735	Beware	33x40mm	Yellow	891-642
115V	19x19mm	Yellow	765-545	Warning	38x19mm	yellow	146-368
230V	19x19mm	Yellow	463-747	Warning Isolate	38x19mm	Yellow	463-796
240V	19x19mm	Yellow	463-759	Danger	25x57mm	Yellow	891-654

Note: For convenience of handling we recommend order multiples of 10 strips.

214157

Legend	Labels Per Strip	Order Code	Price Per Strip 1+	10+	100+	500+	1K+
110V	20	**146-364**					
230V	20	**890-789**					
415v	20	**146-366**					
110V	10	**463-735**					
115V	10	**765-545**					
230V	10	**463-747**					
240V	10	**463-759**					
110VAC	10	**463-760**					
115VAC	10	**890-790**					
230VAC	10	**463-772**					
240VAC	10	**463-784**					

Legend	Labels Per Strip	Order Code	Price Per Strip 1+	10+	100+	500+	1K+
(warning flash)	10	**765-533**					
Beware	5	**891-642**					
Warning	12	**146-368**					
Warning Isolate	10	**463-796**					
Danger	8	**891-654**					

Caution Labels

pro-POWER

NEW

184-5308

184-5310

- Label Type: Self Adhesive
- Material: Vinyl
- Colour: Yellow
- Legend: Caution This installation has wiring colours to two versions of BS7671 Great Care should be taken before undertaking extension, alteration or repair that all conductors are correctly identified

617925

Size	Qty	Order Code	Price Per Pack 1+	10+	50+	+	+
50 x 95mm	10	**184-5308**					
50 x 65mm	10	**184-5310**					

Wiring Colours to Two Versions of BS7671 Labels

Tyco Electronics

50x65mm (831-6767)

50x95mm (831-6740)

Two different styles of labels for warning about electrical installations having wiring colours to two versions of BS7671.

Material Yellow Vinyl

387248

Size	Pack	Mftrs. List No.	Order Code	Price Per Pack 1+	10+	50+
50x65mm	10	LBC-TYC-065050-S	**831-6767**			
50x95mm	10	LBC-TYC-BS7671-S	**831-6740**			

Equipment Labels

pro-POWER

H=26mm, W=51mm

- Self-adhesive aluminium foil
- Areas for indicating 'Model', 'Serial No.', 'Supply' and 'Frequency'.
- May be marked using a ball point pen, marker pen or hand stamp

538205

Mftrs. List No.	Labels Per Card	Order Code	Price Per Card 1+	10+	100+	500+
7827275	10	**171-7281**				

PAT Testing Labels

pro-POWER

NEW



184-5311

184-5312

- Label Type: Self Adhesive
- Material: Tear Resistant
- Size: 30mm x 150mm

617922

Legend	Qty	Order Code	Price Per Pack 1+	10+	50+	100+
Electrical Safety Test Do Not Remove	10	**184-5311**				
Electrical Safety Test Do Not Remove	10	**184-5312**				

IMPROVED BACK ORDER DELIVERY

Receive email updates with the exact status, due date and despatch information of all your back order items **farnell.com**

Partially Laminated

pro-POWER

NEW



- Label: Type:Self Adhesive
- Material: Pre-printed Self Adhesive Vinyl Labels, Partially Laminated with Clear Polyester
- Colour: White
- Size: 15mm x 40mm

617824

Legend	Qty	Order Code	Price Per Pack 1+	10+	50+	100+	200+
Tested	100	**184-5286**					
Serial No.	100	**184-5288**					
Tested for Electrical Safety	100	**184-5289**					
Next Test Due	100	**184-5290**					
Equipment No.	100	**184-5291**					

Tamperproof

Visible

pro-POWER

NEW



- Label Type: Tamperproof
- Material: Partially Laminated with Clear Polyester
- Colour: White
- Size: 15mm x 40mm

617783

Legend	Qty	Order Code	Price Per Pack 1+	10+	50+	100+	200+
CALIBRATED	100	**184-5292**					

Pat Testing Labels

Tyco Electronics

- Cable labels to identify when a PAT test is required
- Tear resistant material
- Print receptive surface

W=30 L=150

214021

10 Labels Per Card			Price Per Card			
Colour	Mftrs List No.	Order Code	1+	10+	50+	100+
Green	13008	**860-967**				
Blue	13009	**860-979**				

EPROM/PCB

Tyco Electronics



For dimensions see below.



- Plain labels which may be hand-written or printed using an 80 column printer
- Ideal for EPROMs, ICs, PCBs etc.

Permanent Polyester For use on topside of circuit boards or ICs. May be used before solder process. Operating temperature -40°C to +155°C.

Removable Polyester (UV Opaque) Foil backed EPROM labels which may be removed cleanly after high temperature exposure. Operating temperature -40°C to +155°C.

Metallised Polyester Decorative, permanent marker for PROMs and circuit boards. Operating temperature -40°C to +155°C.

	Dimensions A	B	C	D	E	Labels Per Row	Colour	Mftrs. List No.	Order Code
Permanent Polyester									
	16.5	5.1	20.3	12.7	224.8	10	White	12100	463-802
	25.4	12.7	27.9	16.9	218.4	7	White	12101	463-814
Removable Polyester (UV Opaque)									
	25.4	12.7	27.9	16.9	218.4	7	White	12102	463-826
Metallised Polyester									
	25.4	12.7	27.9	16.9	218.4	7	silver	12103	463-838

214143

500 Per Pack		Price Per Pack 1+	10+	20+	30+
Size	Order Code				
Permanent Polyester					
16.5 x 5.1	**463-802**				
25.4 x 12.7	**463-814**				
Removable Polyester (UV Opaque)					
25.4 x 12.7	**463-826**				
Metallised Polyester					
25.4 x 12.7	**463-838**				

CP Clear Polyester Labels

Tyco Electronics

NEW



CP is a thermal transfer printable clear polyester film with a permanent acrylic adhesive and can be used as an over laminate. Designed for rating plates, nameplates, equipment labels, serial number plates and general labeling applications that require a high durability transparent label. For reliable print performance and durability, use with TE 1330-0607-T200 ribbon.

Colour: Clear
Label Type: Self Adhesive
Material: Polyester

625816

Label Size	Pack Qty	Mftrs. List No.	Order Code	Price Per Reel 1+	5+	10+
19.1mm x 38.1mm	5000	CP-381191-5-X	**186-3989**			
12.7mm x 50.8mm	5000	CP-508127-5-X	**186-3991**			
38.1mm x 76.2mm	2500	CP-762381-2.5-X	**186-3992**			
Ribbon		1330-0607-T200	**156-3975**			

SP Self-laminating Polyester Labels

Tyco Electronics

NEW

SP labels are thermal transfer printable, low profile translucent polyester film with a permanent acrylic adhesive. Supplied with a white printable area, which is over-laminated upon application with the translucent portion of the label. This 'self-laminating' feature better protects the printed area from exposure to oil, solvents, water and abrasion. Excellent conformability to round, irregular or flexible surfaces. Ideal for wire and cable identification, including flat ribbon cables that are subject to repeated bending. For reliable print performance and durability, use with 1330-0607-T200 ribbon.

Colour: Translucent with white printable area
Material: Polyester
Label Type: Self Adhesive

625824

Label Size	Pack Qty	Mftrs. List No.	Order Code	Price Per Reel 1+	5+	10+
12.7mm x36.5mm	10000	SP050143WE10	**186-4049**			
25.4mm x 57.2mm	5000	SP100225WE5	**186-4050**			
50.8mm x 95.3mm	2500	SP200375WE2.5	**186-4052**			
Ribbon		1330-0607-T200	**156-3975**			

Label Tags

Warning Tags

Tyco Electronics

H=20mm, W=50mm

- Rigid, extruded PVC
- Used to identify cables in adverse conditions
- Bound to cables using standard 200mm cable ties supplied
- Supplied in strips of 10 in easy snap out format

208191

10 Per Pack	Mftrs.		Price Per Pack
Legend	List No.	Order Code	1+
High Voltage	11017	**861-431**	
Mains Cable	11018	**861-443**	

Pack contains: Strip of 10 labels & 20 cable ties

Marker Pens

Engineers Pen

- Spot application of glossy lacquer to labels and touching up PCB's after repair
- High performance lubricant inflammable solvent
- Offers excellent electrical, mechanical and high temperature properties

Clear Mechanical Oil Pen
- Contains Molylodenum Disulphide for enhanced characterisics

Flux Pen
- Zero halide product
- Does not leave corrosive residue
- Excellent solderability and reliability
- Contains MIL-14256E approved flux

Ultrasolve Pen
- Fast evaporating solvents leaving no residue
- Removes flux, grease and general contamination from most plastics andelastomers

621879

Description	Mftrs. List No.	Order Code	Price Each 1+	5+	10+	20+
Clear Mechanical Oil	CM012P	**891-174**				
Rework Flux Pen - 12ml	SMF12P	**891-186**				
Ultrasolve Pen	ULS12P	**891-198**				

Permanent Marker

Superb new versatile marker. Oil-based pigment ink is permanent on most surfaces. Fade-free, abrasion-resistant, lightfast, water-resistant, and resists attack from bleach or acetone. Suitable for all marking purposes from laundry and fabric, to garden and industrial, to CD's and paper. Fine bullet tip writes a 0.9mm line.

537806

Mftrs. List No.	Colour	Order Code	Price Each 1+	10+
PNA-125	Black	**171-7175**		

Permanent Marker

This versatile permanent marker is both water and fade proof. Able to write on Metal, Wood, Plastic, Glass and Stone surfaces, it produces a sharp, glossy finish. Ideal for a variety of industries including, for example, Plumbing, Building and Electrical as well as for general Arts and Crafts use.

537808

Mftrs. List No.	Colour	Order Code	Price Each 1+	10+
PX-21 Series - Fine Tip, Stroke Width 0.8 to 1.2mm				
PX-21 WHITE	White	**171-7176**		
PX-21 YELLOW	Yellow	**171-7177**		
PX-21 BLACK	Black	**171-7178**		
PX-21 BLUE	Blue	**171-7179**		
PX-21 RED	Red	**171-7180**		
PX-21 GREEN	Green	**171-7181**		
PX-20 Series - Medium Tip, Stroke Width 2.2 to 2.8mm				
PX-20 WHITE	White	**171-7184**		
PX-20 YELLOW	Yellow	**171-7185**		
PX-20 BLACK	Black	**171-7186**		
PX-20 BLUE	Blue	**171-7187**		
PX-20 RED	Red	**171-7188**		
PX-20 GREEN	Green	**171-7189**		

Permanent Marker

An all round permanent marker for all applications and practically all surfaces. Writes on paper, card, metal, glass, porcelain, plastic, polystyrene, rubber, wood, stone, leather and much more.

- Permanent
- Waterproof
- Quick drying
- Low-odour
- Wear resistant ink
- Round tip, stroke width 1.5-3mm

517317

Mftrs. List No.	Colour	Order Code	Price Each 1+	10+
DIY-2000C-001	Black	**162-4156**		

Mftrs. List No.	Colour	Order Code	Price Per Pack 1+	10+
DIY-2000C-999	Black, Red, Blue & Green	**162-4157**		

Permanent Marker - Round Tip

- Made from recycled material (approx 80% of total plastic used is from recycled material)
- Cap & plug in writing colour
- Barrel design in new "enviromental look"
- Round tip, stroke width 1.5-3mm

517415

Mftrs. List No.	Colour	Order Code	Price Each 1+	10+
21-001	Black	**162-4162**		
21-002	Red	**162-4163**		
21-003	Blue	**162-4164**		
21-004	Green	**162-4165**		

Permanent Marker - Chisel Tip

- Made from recycled material (approx 80% of total plastic used is from recycled material)
- Cap & plug in writing colour
- Barrel design in new "enviromental look"
- Chisel tip, stroke width 1-5mm

517416

Mftrs. List No.	Colour	Order Code	Price Each 1+	10+
22-001	Black	**162-4166**		
22-002	Red	**162-4168**		
22-003	Blue	**162-4169**		
22-004	Green	**162-4170**		

Permanent Markers

300, 330 and 390 Series

- Suitable for lettering, marking or drawing on virtually all materials including metal, glass and plastic
- Permanent, smudge proof, quick drying lightfast waterproof ink
- Wallets contain one each of black, red, blue and green

300 - Bullet tip, stroke width **1.5-3mm**
330 - Bullet tip, stroke width **1-5mm**
390 - Chisel tip, stroke width **4-12mm**

386386.410797

Colour	Pack	Mftrs. List No.	Order Code	Price Per Pack 1+	10+
300 - Bullet Tip, Width 1.5-3mm					
Black	1	300-001	**876-2660**		
Red	1	300-002	**876-2678**		
Assorted	Wallet of 4	300/4S	**876-2732**		
330 - Bullet Tip, Width 1-5mm					
Black	1	330-001	**876-2708**		
Assorted	Wallet of 4	330/4S	**876-2740**		
390 - Chisel Tip, Width 4-12mm					
Black	1	390-001	**876-2759**		

400 Permanent Markers - 1mm

The 400 permanent markers are ideal for precise writing and marking. Containing quality tested lightfast, water resistant, smudge proof ink, they are perfect for use in all environments.

- Bullet tip, stroke width **1mm**
- Ideal for use at low temperatures, even withstands freezing
- Permanent, quick drying, lightfast ink, ideal for use outdoors
- Perfect for lettering on archival files
- Writes on most surfaces including plastic, wood and paper

386353.410798

Colour	Mftrs. List No.	Order Code	Price Each 1+	10+
Black	400-001	**876-2112**		

8300 Industrial Permanent Markers

- Specialist industrial marker which uses xylene and toluene - These solvents enable permanent marking on greasy or dusty surfaces
- Bullet tip, stroke width **1.5-3mm**

386373.410787

Colour	Mftrs. List No.	Order Code	Price Each 1+	10+
Black	8300-001	**876-2554**		

8030 Specialist Permanent Markers

NLS

The NLS high-tech marker was developed for industrial corrosion-free marking. Complies with aviation standard LN-9051. It contains permanent, low odour ink with a low halogen and chlorine content. It is accepted for use in ship-building, aerospace industries and metal fabrication.

- Bullet tip, stroke width **1.5-3mm**

386366.410788

Colour	Mftrs. List No.	Order Code	Price Each 1+	10+
Red	8030-002	**876-2465**		
Blue	8030-003	**876-2473**		

Industrial Paint Markers

751 and 750 Series

8700 Jumbo Paint Marker: 5 - 18mm Stroke Width

Ideal for writing, marking and drawing on almost all materials including metal, rubber, plastic and composites. Available in differing stroke widths they provide an opaque lacquer finish in a wide range of colours including metallic shades.

- Low odour ink that is highly lightfast, smudge proof and heat resistant (withstands temperatures up to 100°C)
- Valve controlled ink flow
- Durable opaque lacquer finish is resistant to many chemicals
- Water resistant and quick drying
- Highly visible on dark and transparent surfaces

751 - Bullet tip, stroke width **1-2mm**
750 - Bullet tip, stroke width **2-4mm**

386355

Colour	Mftrs. List No.	Order Code	Price Each 1+	10+
751 Series - Bullet Tip, Stroke Width 1-2mm				
Black	751-001	**876-2295**		
Red	751-002	**876-2309**		
Blue	751-003	**876-2317**		
Green	751-004	**876-2325**		
Yellow	751-005	**876-2333**		
Orange	751-006	**876-2341**		
Brown	751-007	**876-2350**		
Violet	751-008	**876-2368**		
Pink	751-009	**876-2376**		
Light Blue	751-010	**876-2384**		
White	751-049	**876-2392**		
Silver	751-054	**876-2414**		
750 Series - Bullet Tip, Stroke Width 2-4mm				
Black	750-001	**876-2155**		
Red	750-002	**876-2163**		
Blue	750-003	**876-2171**		
Green	750-004	**876-2180**		
Yellow	750-005	**876-2198**		
Orange	750-006	**876-2201**		
Brown	750-007	**876-2210**		
Violet	750-008	**876-2228**		
Pink	750-009	**876-2236**		
White	750-049	**876-2252**		
Gold	750-053	**876-2260**		
Silver	750-054	**876-2279**		

8400 CD Markers

- Water based ink
- For fine, permanent lettering on CD-ROMs
- Rub and water resistant once dry
- Bullet tip, stroke width **0.75mm**

386411.410738

Colour	Mftrs. List No.	Order Code	Price Each 1+	10+
Black	8400-001	**876-2791**		

Carpenter Pen

The carpenter pen's extra long fine tip is perfect for precisely marking difficult to reach areas e.g. drill holes. The special ink writes on aluminium, sheet metal, concrete, stone, iron, glass, wood, plastic and much more.

- Permanent
- Waterproof
- Smudge-proof
- Quick drying
- Fine round tip, stroke width 0.7-0.1mm

517272

Mftrs. List No.	Colour	Order Code	Price Each 1+	10+
DIY-8850-001	Black	**162-4152**		

Metal Marker

For permanently writing on and marking almost all surfaces. The 8405 metal marker enables metal to be written on while minimising the risk of corrosion (tested in the aerospace industry by British Aerospace Airbus Ltd as per ABP 9-3323 standard Class A). It is also resistant to many solvents and paints.

- Permanent
- Waterproof
- Smudge-proof
- Solvent resistant
- Low corrosion ink
- Fine round tip, stroke width 0.75mm

517418

Mftrs. List No.	Colour	Order Code	Price Each 1+	10+
DIY-8405-001	Black	**162-4160**		

Marker Pens - continued

8010 X-Ray Marker

The Radiograph marker is especially for writing and marking on X-ray films. Perfect for use in hospitals, dentists, doctors and veterinary surgeries.

- Permanent, low odour ink
- Fine metal-framed tip, stroke width **0.8mm**

386380.410736

Colour	Mftrs. List No.	Order Code	Price Each 1+	10+
White	8010-049	**876-2627**		

8040 Laundry Marker

- Excellent for safely marking on textiles for easy identification
- Permanent ink is low odour, water and boil-proof and ideal for use in laundries, schools, hospitals and at home
- Bullet tip, stroke width **1mm**
- Available in black only

386375.410745

Colour	Mftrs. List No.	Order Code	Price Each 1+	10+
Black	8040-001	**876-2589**		

8200 Tile Grout Marker

- For use in kitchens, bathrooms and other tiled areas for improving the whiteness of grout
- Contains a special fungicide to prevent mould re-growth
- Permanent, water resistant ink
- Bullet tip, stroke width **2-4mm**

386381.410747

Colour	Mftrs. List No.	Order Code	Price Each 1+	10+
White	8200-049	**876-2635**		

8404 Aerospace Marker

Specially developed at the request of the aerospace industry. Quality tested and approved to Bae ABP-9-3323 Class A. Contains low corrosion ink for precision engineering. Useful for producing fine lettering in any industrial environment.

- Lightfast, smudgeproof and water resistant ink with no xylene or toluene added
- Resistant to many solvents including acids, alcohols and varnishes
- Ideal for writing on components and circuitry - Also for labelling chemical bottles and laboratory equipment
- Fine bullet tip, stroke width **0.75mm**

386377.410746

Colour	Mftrs. List No.	Order Code	Price Each 1+	10+
Black	8404-001	**876-2597**		

950 Specialist Paste Marker

Ideal for marking on rough surfaces, unclean materials and rusty metals. It contains a highly permanent coloured paste which is lightfast, smudge proof and water resistant after drying.

- Bullet tip, stroke width **10mm**

386368.410789

Colour	Mftrs. List No.	Order Code	Price Each 1+	10+
Yellow	950-005	**876-2511**		
White	950-049	**876-2520**		

Disposable Etching Pen

LINEAR TOOLS

- Suitable for etching codes, sizes and identification references
- For use on all steel and copper surfaces
- Ideal for identification of workshop tools, instruments and machines

221207

Mftrs. List No.	Order Code	Price Each 1+	3+	6+	12+
52-730-005	**715-8543**				

8280 UV Security Marker



- Suitable for marking on valuables for security purposes
- Contains special UV sensitive ink that shows up under ultra-violet light
- Bullet tip, stroke width **1.5-3mm**

386371.410728

Mftrs. List No.	Order Code	Price Each 1+	10+
8280	**876-2546**		

i-Buy
INTELLIGENT ONLINE BUYING SYSTEM PROVIDING
Complete cost control, reduced administration time, visibility of your spend, flexibility and personalised to your company's needs.
farnell.com/ibuy

RoHS Compliant Non-compliant